JOURNAL OF ORGANOMETALLIC CHEMISTRY VOLUME 458, NUMBERS 1–2, OCTOBER 5, 1993

Contents

Regular Papers

Lineare Tetrasilane mit mittelständigen Substituenten—Oligosilane mit optischer Aktivität
H. Stüger (Graz, Österreich) (Eing. den 9. Februar 1993) 1

New cyclodisilazane monomers
E. Duguet, M. Schappacher and A. Soum (Talence, France) (Rec'd December 31, 1992) 9

Synthesis of acetyldimethyl(phenyl)silane and its enantioselective conversion into (*R*)-(1-hydroxyethyl)dimethyl(phenyl)silane by plant cell suspension cultures of *Symphytum officinale* L. and *Ruta graveolens* L.
R. Tacke, S.A. Wagner, S. Brakmann, F. Wuttke (Karlsruhe, Germany), U. Eilert, L. Fischer and C. Syldatk (Braunschweig, Germany) (Rec'd February 26, 1993) 13

η^7-Cycloheptatrienyl-carbonylvanadium-Komplexe mit mono- und bifunktionellen Phosphan-Liganden. Eine ^{51}V-NMR-spektroskopische Untersuchung
M. Herberhold und M. Schrepfermann (Bayreuth, Deutschland) (Eing. den 12. Februar 1993) 19

Utilization of hypervalently activated organotin compounds in synthesis. Preparation and reactions of $Me_2N(CH_2)_3SnPh_3$
D. Dakternieks, G. Dyson, K. Jurkschat, R. Tozer (Geelong, Vic., Australia) and E.R.T. Tiekink (Adelaide, S.A., Australia) (Rec'd November 20, 1992) 29

Tin(IV) and organotin(IV) complexes containing the anion of some substituted-3-methyl-4-acyl-5-pyrazolones. Crystal structure of dimethylbis(1-phenyl-3-methyl-4-benzoyl pyrazolon-5-ato)tin(IV)
B. Bovio (Pavia, Italy), A. Cingolani, F. Marchetti and C. Pettinari (Camerino, Italy) (Rec'd January 25, 1993) 39

A compound with a tin-carbon double bond, bis(2,4,6-triisopropylphenyl)(fluorenylidene)stannane: aspects of its reactivity and X-ray structure of its dimer
G. Anselme (Toulouse, France), J.-P. Declercq (Louvain-La-Neuve, Belgium), A. Dubourg (Montpellier, France), H. Ranaivonjatovo, J. Escudié and C. Couret (Toulouse, France) (Rec'd January 15, 1993) 49

Polysulfonylamine. XLVII. Darstellung und Kristallstrukturanalyse der ionischen Verbindung *catena*-Poly[(μ-4,4′-bipyridin)trimethylzinn]-dimesylamid-Acetonitril (1/1)
I. Lange, E. Wieland, P.G. Jones und A. Blaschette (Braunschweig, Deutschland) (Eing. den 3. März 1993) 57

Chirale Tripodliganden: Die Eintopfreaktion $MeC(CH_2PPh_2)_3 \rightarrow MeC(CH_2P(Ph)(R))_3$; Zwischenstufen, diastereoselektive Kontrolle und Komplexchemie
O. Walter, T. Klein, G. Huttner und L. Zsolnai (Heidelberg, Deutschland) (Eing., den 5. März 1993) 63

Studies on organolanthanoid complexes. LI. Syntheses of bis- and tris(2-methoxyethylcyclopentadienyl) lanthanoid complexes and crystal structures of bis(2-methoxyethylcyclopentadienyl)ytterbium iodide and tris(2-methoxyethylcyclopentadienyl)samarium
D. Deng, C. Qian, F. Song, Z. Wang, G. Wu, P. Zheng, S. Jin and Y. Lin (Shanghai, China) (Rec'd December 3, 1992; in rev'd form February 25, 1993) 83

Neue Synthesen und Reaktionen ungesättigter Heterotitanacyclen
S. Dürr, U. Höhlein und R. Schobert (Erlangen, Deutschland) (Eing. den 11. Februar 1993) 89

Structure of a metallacyclic metaloxycarbene vanadium complex prepared from $CpV(CO)_4$
M. Berlekamp, G. Erker (Münster, Germany) and J.L. Petersen (Morgantown, WV, USA) (Rec'd December 31, 1992) 97

Déprotonation des allylbenzènes chrometricarbonyle en milieu basique. Etude RMN ^{1}H et ^{13}C et réactivité des anions allyliques: influence électronique et stérique du groupement chrometricarbonyle
M.C. Sénéchal-Tocquer, D. Senechal, J.Y. Le Bihan, D. Gentric, B. Caro (Lannion, France), M. Gruselle, C. Cordier et G. Jaouen (Paris, France) (Reçu le 25 janvier 1993; révisé le 27 février 1993) 105

Application of scalar ^{13}C, ^{19}F couplings between carbonyl carbons and aromatic fluorine to investigation of conformation of chelate phosphitodicarbonylchromium and dicarbonyl(phosphine)chromium complexes of fluorobenzenes
P. Szczeciński (Noakowskiego, Poland) (Rec'd January 13, 1993) 119

Heterozyklen als Liganden. XVIII . Synthese und Struktur von Tricarbonyl(1,2,3,4,5-pentamethylpyrrol)chrom(0)–der Einfluß der Methylsubstituenten auf die Koordinationseigenschaften des Pyrrol-Liganden
N. Kuhn, J. Kreutzberg, E.-M. Lampe (Duisburg, Deutschland), D. Bläser und R. Boese (Essen, Deutschland) (Eing. den 25. Februar 1993) 125

The synthesis of ring-substituted cycloheptatrienyl complexes $[M(CO)_3(\eta^7\text{-}C_7H_6R)]^+$ (M = Cr, Mo or W; R = Me, ^{t}Bu, C_6H_4-F-*p* or C≡CPh)
A. Roberts and M.W. Whiteley (Manchester, UK) (Rec'd January 27, 1993) 131

Metal–ligand bonding in $LM(CO)_5$ complexes (L = NMe_3, PMe_3, PCl_3, PBr_3 or $AsMe_3$; M = Cr, Mo or W) from dielectric, electro-optic and spectroscopic evidence
M.S. Davies, R.K. Pierens and M.J. Aroney (Sydney, N.S.W., Australia) (Rec'd December 31, 1992) 141

Synthesis, structure, and properties of molybdenum octahedral d^6 bis(alkyne) complexes
C.H. Lai, C.H. Cheng, C.Y. Cheng and S.L. Wang (Hsinchu, Taiwan) (Rec'd January 22, 1993; in rev'd form March 12, 1993) 147

Metallorganische Schutzgruppen für den Aufbau ungewöhnlicher Zinn–Chalkogen-Käfigverbindungen: Thiostannat(II) $Sn_3S_4^{2-}$ und "Zinnoxidhydrat" $Sn_6(\mu_3\text{-}OH)_4(\mu_3\text{-}O)_4$ als Liganden in ^{R}Cp(CO)$_2$Mn-Komplexen
B. Schiemenz, F. Ettel, G. Huttner und L. Zsolnai (Heidelberg, Deutschland) (Eing. den 1. März 1993) 159

Activation of the carbon–carbon bond in the Mn-mediated cycloaddition reaction between disilacyclobutene and cyclic conjugated dienes
H.-J. Chiang and C.-S. Liu (Hsinchu, Taiwan) (Rec'd September 5, 1992; in rev'd form February 25, 1993) 167

Kinetics and mechanism of the reaction of bis-μ-diethylphosphidobis(tetracarbonylmanganese) with tri-*n*-butylphosphine
M. Basato (Padova, Italy) (Rec'd November 25, 1992) 173
Komplexchemie perhalogenierter Cyclopentadiene und Alkine. XIII. Darstellung, Reaktionen und Strukturen von $[C_5Cl_4M]Mn(CO)_3$ ($M = Mn(CO)_5$, $Au(PPh_3)$)
K. Sünkel and U. Birk (München, Deutschland) (Eing. den 15. Februar 1993) 181
Poly-linked cyclopentadienide ions. II. Synthesis and properties of the tetracyclopentadienylmethane tetraanion
T. Kinoshita, S. Tsuji, T. Otake and K. Takeuchi (Kyoto, Japan) (Rec'd February 5, 1993; in rev'd form February 27, 1993) 187
New synthesis of acylferrocene by hydroiminoacylation of the terminal olefin with ferrocenecarboxaldimine and application to polymer-supported acylferrocene
C.-H. Jun, J.-B. Kang and J.-Y. Kim (Taejon, South Korea) Rec'd January 8, 1993; in rev'd form March 12, 1993) 193
Synthesis, some reactions, and molecular structure of the $Pd(BF_4)_2$ complex of 1,1′-bis(diphenylphosphino)ferrocene
M. Sato, H. Shigeta, M. Sekino (Saitama, Japan) and S. Akabori (Chiba, Japan) (Rec'd December 11, 1992; in rev'd form February 27, 1993) 199
1,3-Dioxa-[3]ferrocenophane
M. Herberhold und H.-D. Brendel (Bayreuth, Deutschland) (Eing. den 4. März 1993) 205
Ruthenium carbonyl cluster complexes with nitrogen ligands. II. Syntheses, X-ray structures and interconversion of $Ru_3(\mu\text{-}H)(\mu\text{-}\eta^2\text{-}NC_5H_8)(CO)_{10}$ and $Ru_3(\mu\text{-}H)(\mu_3\text{-}\eta^2\text{-}NC_5H_8)(CO)_9$
M.P. Cifuentes, M.G. Humphrey (Armidale, N.S.W., Australia), B.W. Skelton and A.H. White (Nedlands, N.S.W., Australia) (Rec'd February 15, 1993) 211
(η^6-Aren)(η^4-buta-1,3-dien)ruthenium(0)-Komplexe: Synthese und Eigenschaften sowie Kristallstruktur von (Benzol)(butadien)ruthenium
J. Müller, K. Qiao, M. Siewing und B. Westphal (Berlin, Deutschland) (Eing. den 5. März 1993) 219
Wolff rearrangement in a transition-metal diazoalkane complex. Synthesis of the first η^1-ketenyl rhodium complex $[Rh\{C(CO)SiMe_3\}(CO)(PEt_3)_2]$
E. Deydier, M.-J. Menu, M. Dartiguenave and Y. Dartiguenave (Toulouse, France) (Rec'd December 17, 1992) 225
Ligandeneffekte bei der Synthese der Komplexe $ClRh(\widehat{P\ O})(P \sim O)$, $[Rh(\widehat{P\ O})_2][BPh_4]$ und $[Rh(COD)(\widehat{P\ O})][BPh_4]$
E. Lindner, Q. Wang, H.A. Mayer and A. Bader (Tübingen, Deutschland) (Eing. den 22. Februar 1993) 229
A one-pot method for the preparation of $(R_3P)_2Ni^0L$ complexes
A. Stanger and A. Shazar (Haifa, Israel) (Rec'd December 31, 1992) 233

Preliminary Communications
N-alkylydene[bis(trimethylsilyl)methyl]amines: a new series of stable imines
A. Capperucci (Firenze, Italy), A. Ricci (Bologna, Italy), G. Seconi (Ozzano Emilia, Italy), J. Dunogues, S. Grelier, J.-P. Picard (Talence, France), C. Palomo and J.-M. Aizpurua (San Sebastian, Spain) (Rec'd April 14, 1993) C1
1,8-Bis(diphenylphosphino)naphthalene: a rigid chelating, diphosphine analogue of proton sponge
R.D. Jackson, S. James, A.G. Orpen and P.G. Pringle (Bristol, UK) (Rec'd April 2, 1993) C3
Photochemistry of methanesulphinatopentacarbonylmanganese, $Mn(CO)_5(SO_2CH_3)$, in frozen gas matrices at *ca.* 12 K
X. Ren and A.J. Rest (Southampton, UK) (Rec'd March 19, 1993) C5
Insertion of diphenylacetylene into the carbon–sulfur bond of phenylisothiocyanate at a diruthenium centre: synthesis and X-ray structure of $[Cp_2Ru_2(CO)(\mu\text{-}CO)\{\mu\text{-}SC(Ph)=C(Ph)C(=NPh)\}]$
G. Hogarth and E. Skordalakis (London, UK) (Rec'd June 3, 1993) C8
Synthesis and structure of the nickel A-frame complex $Ni_2(\mu\text{-}CNC_6H_5)(dppm)_2Cl_2$
S. Hinze, J.K. Gong (Cape Girardeau, MO, USA), P.E. Fanwick and C.P. Kubiak (West Lafayette, IN, USA) (Rec'd March 8, 1993, in rev'd form May 18, 1993) C10
Regioselective ring opening of a palladium(IV) alkylaromatic metallacycle by benzyl group migration from palladium to the aromatic carbon and X-ray structure of the resulting palladium(II) complex
G. Bocelli (Parma, Italy), M. Catellani (Parma, Italy) and S. Ghelli (Modena, Italy) (Rec'd March 30, 1993) C12

Corrigendum C16

Addendum C16

Author Index C17

Subject Index C19